Index of authors and papers to volume 88

Boerlijst, M.C. and Hogeweg, P., Spatial gradients enhance persistence of hypercycles 88 (1995) 29
Bosley, D.L., see Wang, L. 88 (1995) 87

Das II, P.K. and Schieve, W.C., A bifurcation analysis of the four dimensional generalized Hopfield neural network 88 (1995) 14

Feudel, U., Kurths, J. and Pikovsky, A.S., Strange non-chaotic attractor in a quasiperiodically forced circle map 88 (1995) 176

Grauer, R. and Sideris, T.C., Finite time singularities in ideal fluids with swirl 88 (1995) 116

Hogeweg, P., see Boerlijst, M.C. 88 (1995) 29

Kadanoff, L., see Schörghofer, N. 88 (1995) 40
Kevorkian, J., see Wang, L. 88 (1995) 87
Krug, J., see Rost, M. 88 (1995) 1
Kurths, J., see Feudel, U. 88 (1995) 176

Lohse, D., see Schörghofer, N. 88 (1995) 40

McLaughlin, D.W., Muraki, D.J., Shelley, M.J. and Wang, X., A paraxial model for optical self-focussing in a nematic liquid crystal 88 (1995) 55
Muraki, D.J., see McLaughlin, D.W. 88 (1995) 55

Pikovsky, A.S., see Feudel, U. 88 (1995) 176

Rost, M. and Krug, J., A particle model for the Kuramoto–Sivashinsky equation 88 (1995) 1

Schieve, W.C., see Das II, P.K. 88 (1995) 14
Schörghofer, N., Kadanoff, L. and Lohse, D., How the viscous subrange determines inertial range properties in turbulence shell models 88 (1995) 40
Shelley, M.J., see McLaughlin, D.W. 88 (1995) 55
Sideris, T.C., see Grauer, R. 88 (1995) 116

Tang, Q. and Wang, S., Time dependent Ginzburg-Landau equations of superconductivity 88 (1995) 139

Wang, L., Bosley, D.L. and Kevorkian, J., Asymptotic analysis of a class of three-degree-of-freedom Hamiltonian systems near stable equilibria 88 (1995) 87
Wang, S., see Tang, Q. 88 (1995) 139
Wang, X., see McLaughlin, D.W. 88 (1995) 55
Wang, X., An energy equation for the weakly damped driven nonlinear Schrödinger equations and its application to their attractors 88 (1995) 167

Index of authors and papers to volume 88

Boerlijst, M.C. and Hogeweg, P., Spatial gradients enhance persistence of hypercycles 88 (1995) 29
Bosley, D.L., see Wang, L. 88 (1995) 87

Das II, P.K. and Schieve, W.C., A bifurcation analysis of the four dimensional generalized Hopfield neural network 88 (1995) 14

Feudel, U., Kurths, J. and Pikovsky, A.S., Strange non-chaotic attractor in a quasiperiodically forced circle map 88 (1995) 176

Grauer, R. and Sideris, T.C., Finite time singularities in ideal fluids with swirl 88 (1995) 116

Hogeweg, P., see Boerlijst, M.C. 88 (1995) 29

Kadanoff, L., see Schörghofer, N. 88 (1995) 40
Kevorkian, J., see Wang, L. 88 (1995) 87
Krug, J., see Rost, M. 88 (1995) 1
Kurths, J., see Feudel, U. 88 (1995) 176

Lohse, D., see Schörghofer, N. 88 (1995) 40

McLaughlin, D.W., Muraki, D.J., Shelley, M.J. and Wang, X., A paraxial model for optical self-focussing in a nematic liquid crystal 88 (1995) 55
Muraki, D.J., see McLaughlin, D.W. 88 (1995) 55

Pikovsky, A.S., see Feudel, U. 88 (1995) 176

Rost, M. and Krug, J., A particle model for the Kuramoto–Sivashinsky equation 88 (1995) 1

Schieve, W.C., see Das II, P.K. 88 (1995) 14
Schörghofer, N., Kadanoff, L. and Lohse, D., How the viscous subrange determines inertial range properties in turbulence shell models 88 (1995) 40
Shelley, M.J., see McLaughlin, D.W. 88 (1995) 55
Sideris, T.C., see Grauer, R. 88 (1995) 116

Tang, Q. and Wang, S., Time dependent Ginzburg-Landau equations of superconductivity 88 (1995) 139

Wang, L., Bosley, D.L. and Kevorkian, J., Asymptotic analysis of a class of three-degree-of-freedom Hamiltonian systems near stable equilibria 88 (1995) 87
Wang, S., see Tang, Q. 88 (1995) 139
Wang, X., see McLaughlin, D.W. 88 (1995) 55
Wang, X., An energy equation for the weakly damped driven nonlinear Schrödinger equations and its application to their attractors 88 (1995) 167